



DATA SHEET

## PremierPlus SystemFit

## **UNVENTED HOT WATER CYLINDER**

PremierPlus SystemFit provides all the benefits of our standard PremierPlus unvented cylinder, with the addition of factory-fitted plumbing and wiring, making it ready for installation with a heat only boiler. This saves on-site installation time, providing a tidier and more compact heating system.











FEATURES	BENEFITS
----------	----------

Fully plumbed and wired system components	Consistent neat appearance, reduced installation time			
50mm insulation	Low heat loss from the cylinder			
Domestic hot water expansion vessel supplied	12, 18, 24 litres depending on capacity			
High grade duplex stainless steel	High corrosion resistance for long life			
Suitable for use with heat only boilers	Provides flexible installation capability			

# PremierPlus SystemFit

## **UNVENTED HOT WATER CYLINDER**

### **TECHNICAL SPECIFICATION**

Model	120SF	150SF	170SF	210SF	250SF	300SF
Product Code	94:050:300	94:050:301	94:050:302	94:050:303	94:050:304	94:050:305
Nominal Capacity (litres)	120	150	170	210	250	300
Weight empty (kg)	39	43	45	53	62	72
Weight full (kg)	159	196	215	263	312	372
Standing heat loss (kWh/24)	1.25	1.45	1.63	1.91	2.22	2.52
Heat up time lower (3kw) (mins)	24	29	30	34	42	49


#### **ERP TECHNICAL DATA**

Energy efficiency class	В	С	С	С	D	D
Standing loss (W)	52.1	60.4	67.9	79.6	92.5	105.0

## **DIMENSIONS**

120SF	150SF	170SF	210SF	250SF	300SF
936	1119	1245	1503	1755	2069
382	563	691	952	1139	1460
728	917	1039	1300	1460	1805
650	650	650	650	650	650
697	697	697	697	697	697
	936 382 728 650	936 1119   382 563   728 917   650 650	936 1119 1245   382 563 691   728 917 1039   650 650 650	936 1119 1245 1503   382 563 691 952   728 917 1039 1300   650 650 650 650	936 1119 1245 1503 1755   382 563 691 952 1139   728 917 1039 1300 1460   650 650 650 650 650

<sup>\*</sup>Top of pump extends 95mm above this height.







#### **EU Directives:**

- Pressure Equipment Directive 97/23/EC.
- Low Voltage Directive (LVD) 2014/30/EU.
- Electromagnetic Compatibility (EMC) Directive 2014/35/EU.
- RoHS (Restriction of use of certain Hazardous Substances) Directive 2011/65/EU

#### Legislation:

- Building Regulations Part G and Part L (England and Wales).
- Scottish Building Standards Section 4 and Section 6.
- Building Regulations (Northern Ireland) Parts F1 and F2 and Part P.
- Water Supply (Water Fittings) Regulations (England and Wales).
- The Water Byelaws 2004 (Scotland).
- Water Supply (Water Fittings) Regulations (Northern Ireland).

#### Standards:

- Relevant clauses of the following standards are complied with:
- EN 12897 Specification for indirectly heated unvented cylinders.
- EN 60335-1 Safety-Particular requirements for storage water heaters.
- EN 60335-2 Safety-Particular requirements for storage water heaters.

#### The stainless steel materials used comply with the relevant clauses of:

 EN 10088 – Technical delivery conditions for sheet/plate and strip of corrosion resisting steels for general purposes.

## Components supplied comply with the following standards:

- BS EN 1490 Building Valves Combined Temperature and Pressure Relief Valves.
- BS EN 1491 Building Valves Expansion Valves.
- BS 6144 Specification for Expansion Vessels Using An Internal Diaphragm

#### For Unvented Water Supply Systems.

– BS EN 1567 Building Valves – Water Pressure Reducing Valves and Combination

#### Reducing Valves.

– BS EN 60730-1 Automatic Electrical Controls – For households and similar use.









#### Part 1: General Requirements.

- BS EN 60730-2-8 Automatic Electrical Controls  $\,$  Particular Requirements for Electrically Operated Water Valves.
- BS EN 13959 Anti-pollution Check Valves.

#### The use of these water heaters will aid in compliance with:

- Health and Safety Executive Approved Code of Practice L8: The control of legionella bacteria in water systems.
- BS EN 806 Parts 1 to 5: Specification for installations inside buildings conveying water for human consumption.
- BS 8558 Guide to the design, installation, testing and maintenance of services supplying water for domestic use within buildings.
- Chartered Institute of Building Services Engineers Guide B and Guide F.

#### Manufactured in a factory approved to:

- BS EN ISO 9001
- OHSAS 18001
- ISO 14001
- ISO 50001

#### PremierPlus SystemFit approvals:

- Kiwa Certification Number: 1207700.
- Nemko Certification Number: P12215506.

For more information

01603 420220 | enquiries@heatraesadia.com www.heatraesadia.com



Issue 1 © Heatrae Sadia 2017